

FIGURE 1




FIGURE 2




FIGURE 3




FIGURE 4




FIGURE 5




FIGURE 6




FIGURE 7




FIGURE 8




FIGURE 9




FIGURE 10




FIGURE 11




FIGURE 12




FIGURE 13




FIGURE 14




FIGURE 15




FIGURE 16




FIG. 17A




FIG. 17B




FIG. 17C




FIG. 17D




FIGURE 18




FIGURE 19




FIGURE 20




FIGURE 21




FIGURE 22




FIGURE 23




FIGURE 24

FGFR1 DII




FIGURE 25





FIGURE 26

Native State \rightleftharpoons Unfolded State \rightleftharpoons Native-Ligand Complex $N'L'$



$$N'L' + [a' W + b' H + c' C + d' D]$$

$$N + L + [a' W + b' H + c' C + d' D]$$

Self-Aggregation



$$\Delta G_{fold} = \Delta G_{conf} + \sum_i \Delta g_{i,int} + \sum_i \Delta g_{i,s} + \Delta W_{el} + (\Delta G_{bind})$$

Legend



	= Water Molecules
	= Ionizable Protons
	= Counterions or Hofmeister Salts
	= Detergent or Lipid Molecules

FIGURE 27

Tagged Denatured Protein


Denaturant: 6 M Gdn-HCl
8 M Urea
0.2% SDS

Reducing Agents: DTT, or β ME



Microplate Protein Folding

Replace with n -Variable Refolding Conditions



Thermal shift Assay




FIG. 29




FIG. 30




FIG. 31




FIG. 32A



FIG. 32B



FIG. 32C



FIG. 32D



FIG. 32E



FIG. 33




FIG. 34





FIG. 35







FIG. 36 B

FIG. 37




FIG. 38




FIG. 39




FIGURE 40





FIG. 41A


control →
RNA/protein



66°C ← — 44

FIG. 41B

control →



70°C ← — 46

FIGURE 42

